

OSHA-Required Health And Safety Information!

This Material Safety Data Sheet (MSDS) was requested moments ago from Hercules Automated Fax Information System. Please forward it immediately to the person in charge of MSDS's, or retain it at the machine until claimed.

Section 1**MATERIAL SAFETY DATA SHEET # 11**
Real Tuff**Date Prepared:** 3/3/1994**Last Reviewed:** 6/29/2004

Meets OSHA 29 CFR 1910.1200

**MATERIAL
SAFETY
INFORMATION
SERVICE**

Hercules Chemical Company Inc.
111 South Street
Passaic NJ 07055
Phone (800) 221-9330
Fax (800) 333-3456

Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity;
Common Name(s), CAS Numbers)

OSHA PEL

ACGIH TLV

Other Limits

Upper Bound
Limit if SARA
Reportable

This product is not classified as hazardous in accordance with OSHA 1910.1200. For product at ambient conditions no known hazards exist. See parts 4 & 5 below for information about polytetrafluoroethylene (9002-84-0) (Teflon*) at high temperature conditions. *Dupont Trademark

HMIS Hazard Rating: Health: 0 Flammability: 0 Reactivity: 0 Personal Protection: A**Section 3 - Physical/Chemical Characteristics**

Boiling Point (°F):	Specific Gravity (H₂O = 1):	Vapor Density (Air = 1):	Vapor Pressure (mm Hg):
N/A	1.56	N/A	N/A
Melting Point (° F)	Evaporation Rate: (Butyl Acetate = 1)	Solubility in Water:	
N/A		Insoluble	
Appearance And Color:	White thixotropic paste		Odor: None

Section 4 - Fire And Explosion Hazard Data

Flash Point:	Flammable Limits	LEL:	UEL:
N/A	N/A		

Extinguishing Media: Dry chemical, foam, carbon dioxide**Special Firefighting Procedures:**

Use water to cool fire exposed containers. If a leak or spill has not ignited, use water spray to disperse the vapors to provide protection for personnel.

Unusual Fire And Explosion Hazards:

Toxic fumes given off above 800° F (425° C)

Continued on Next Page

Section 5 - Reactivity Data

Stability: Stable Conditions To Avoid: None.

Incompatability Teflon not compatible with molten alkali metals.
(Materials To Avoid):

Hazardous Decomposition: CO₂ and CO form on burning

Hazardous Polymerization: Will not occur

Section 6 - Health Hazard Data

Routes of Entry: Inhalation N/A Skin YES/Primary Ingestion YES/Secondary

Health Hazards:

None

Carcinogenicity NTP NO IARC NO OSHA Regulated NO

Signs And Symptoms of Exposure:

None: Could be mildly irritating to certain persons on prolonged contact.

Medical Conditions Generally Aggravated By Exposure:

None known

Emergency And First Aid Procedures:

SKIN: Wash with soap & water. EYES: As with most foreign materials should eye contact occur, flush eyes with plenty of water & get medical attention. INGESTION: Do not induce vomiting, get medical attention.

Continued on Next Page

Section 7 - Precautions For Safe Handling And Use:**Steps To Be Taken In Case Material Is Released Or Spilled:**

Use absorbent material and sweep up.

Waste Disposal Method:

Non Hazardous Landfill

Precautions To Be Taken In Handling And Storing:

None

Other Precautions:

Keep away from direct contact with open flame or sparks.

Section 8 - Control Measures:**Respiratory Protection:**

N/A

Ventilation: Local Exhaust Normal ventilation
Mechanical N/A

Special N/A

Other: N/A

Gloves: Rubber gloves

Eye Protection: Goggles or safety glasses

Other Protective

Clothing: None required

Work/Hygienic Practices: Wash up after handling the material.



FACTS
axed
AST!

For Hercules Material Safety Data Sheets by fax anytime, day or night, just call 1-800-942-INFO (1-800-942-4636) from any Touch-Tone phone. Have your fax number ready. Checking the product label for the correct MSDS # will save time.